

CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

▲ PEEL HERE ▲

BARMAC

Metalaxyl 250

Systemic Fungicide

ACTIVE CONSTITUENT: 250 g/L METALAXYL
SOLVENT: 459 g/L LIQUID HYDROCARBON

GROUP 4 FUNGICIDE

For control of *Phytophthora*
Heart Rot and Root Rot of
Pineapples.

IMPORTANT: READ THIS LEAFLET BEFORE OPENING OR USING

Contents: 5 Litres

BARMAC

(A division of Amgrow Australia Pty Ltd) ABN 22 069 900 456
82 Christensen Road, Stapylton QLD 4207 ♦ Tel: (07) 3802 5050
www.barmac.com.au



DIRECTIONS FOR USE

CROP	DISEASE	STATE	RATE	CRITICAL COMMENTS
Pineapples	Heart Rot and Root Rot caused by <i>Phytophthora</i> sp.	Qld, WA only	High volume application 2L in 2000 to 5000L per hectare	<p>Spray immediately after planting and repeat at 4 to 8 week intervals during summer, autumn and winter. Use the shorter interval during periods of wet weather, or in areas with past histories of the disease.</p> <p>Thoroughly spray pineapple foliage and surrounding soil. For the first treatment, hand drenching is preferred to spraying. Use 2000L/ha for young plants, increasing up to 5000L/ha for large plants.</p> <p>BARMAC Metalaxyl 250 Systemic Fungicide should be applied in alternate years only. In intervening years, use other recommended fungicides.</p>

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

Withholding Period: DO NOT APPLY LATER THAN 4 WEEKS BEFORE HARVEST.

GENERAL INSTRUCTIONS

MIXING

Pour the product directly into water in the spray tank and mix well. Beware of solvent vapours while handling the concentrate and working near an open spray tank.

FUNGICIDE RESISTANCE WARNING

BARMAC Metalaxyl 250 Systemic Fungicide is a member of the Phenylamide group of fungicides. For fungicide resistance management, the product is a Group 4 fungicide. Some naturally occurring individual fungi resistance to the product and other Group 4 fungicides may exist through normal genetic variability in any fungal population. The resistant individuals can eventually dominate the fungi population if these fungicides are used repeatedly. These resistant fungi will not be controlled by the product and other Group 4 fungicides, thus resulting in a reduction in efficacy and possible yield loss. Since the occurrence of resistant fungi is difficult to detect prior to use, BARMAC (A division of Amgrow Australia Pty Ltd) accepts no liability for any losses that may result from the failure of the product to control resistant fungi.

GROUP 4 FUNGICIDE

RE-ENTRY PERIOD

DO NOT re-enter treated area until sprayed crop is dry.

PROTECTION OF WILDLIFE, FISH, CRUSTACEANS AND ENVIRONMENT

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, triple rinse, break, crush or puncture and deliver empty packaging or appropriate disposal at an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product must not be burnt.

For refillable containers: Empty contents fully into application equipment. Close all valves and return to point of supply for refill or storage.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. DO NOT inhale dust or spray mist

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone Australia 13 11 26. If swallowed, do not induce vomiting. Give a glass of water.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet available from BARMAC or from our internet site www.barmac.com.au.

NOTICE: This information is not intended to replace the product label. Failure to use any product in a manner consistent with the label may be illegal, prove dangerous and render the product ineffective.

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture: **Harmful if swallowed. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.** Use only outdoors or in a well ventilated area. Wear protective gloves, clothing, eye and face protection. Wear respiratory protection. If on skin: wash with plenty of soap and water. If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call Poisons Information Centre (13 11 26) or a doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Immediately call Poisons Information Centre (13 11 26) or a doctor. Wash contaminated clothing before reuse.

APVMA Approval No.: 83174/107678



BARMAC

(A division of Amgrow Australia Pty Ltd ABN 22 069 900 456)

82 Christensen Road, Stapyton QLD 4207

Tel: (07) (07) 3802 5050  www.barmac.com.au

APVMA Approval No.: 83174/107678



CAUTION

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS BEFORE OPENING OR USING

BARMAC

Metalaxyl 250

Systemic Fungicide

ACTIVE CONSTITUENT: 250 g/L METALAXYL
SOLVENT: 459 g/L LIQUID HYDROCARBON

GROUP **4** FUNGICIDE

For control of *Phytophthora*
Heart Rot and Root Rot of
Pineapples.


IMPORTANT: READ THE ATTACHED LEAFLET BEFORE
OPENING OR USING

Contents: 5 Litres

BARMAC

(A division of Amgrow Australia Pty Ltd) ABN 22 069 900 456
82 Christensen Road, Stapyilton QLD 4207 ♦ Tel: (07) 3802 5050

www.barmac.com.au



GLUE AREA

GLUE AREA

BARMAC

Metalaxyl 250

Systemic Fungicide

STORAGE AND DISPOSAL

Store in the closed, original container in a dry, cool, well ventilated area. DO NOT store for prolonged periods in direct sunlight. Triple or preferably pressure rinse containers before disposal. Add rinsings to spray tank. DO NOT dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, triple rinse, break, crush or puncture and deliver empty packaging or appropriate disposal at an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Empty containers and product must not be burnt.

SAFETY DIRECTIONS

Avoid contact with eyes and skin. DO NOT inhale dust or spray mist.

FIRST AID

If poisoning occurs, contact a doctor or Poisons Information Centre. Telephone Australia 13 11 26. If swallowed, do not induce vomiting. Give a glass of water.

SAFETY DATA SHEET

Additional information is listed on the Safety Data Sheet available from BARMAC or from our internet site www.barmac.com.au.

NOTICE: This information is not intended to replace the product label. Failure to use any product in a manner consistent with the label may be illegal, prove dangerous and render the product ineffective.

BARMAC (A division of Amgrow Australia Pty Ltd) ABN 22 069 900 456

82 Christensen Road, Stapylton QLD 4207 ♦ Tel: (07) 3802 5050

www.barmac.com.au

Additional information required under the Globally Harmonised System (GHS) classification of the substance/mixture: **Harmful if swallowed. May cause an allergic skin reaction. May be fatal if swallowed and enters airways. Harmful to aquatic life with long lasting effects.** Use only outdoors or in a well ventilated area. Wear protective gloves, clothing, eye and face protection. Wear respiratory protection. If on skin: wash with plenty of soap and water. If inhaled: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call Poisons Information Centre (13 11 26) or a doctor. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do so. Continue rinsing. Immediately call Poisons Information Centre (13 11 26) or a doctor. Wash contaminated clothing before reuse.

APVMA Approval No.: 83174/107678



Batch Number

9 322321 004422

Date of Manufacture

