



a division of Amgrow

# NUTRAFEED GROW - Liquid Fertiliser

## NUTRAFEED LIQUID GROW NPKS 16-5-13-0

Additional Macro and Micro Nutrients (%w/v)

Ca %	Mg %	B %	Zn %	Fe %	Mn %	Cu %	Mo %
-	-	-	0.11	0.16	0.1	-	0.05



## NUTRAFEED LIQUID GROW


Grow is a new high analysis liquid NPK + TE fertiliser suitable for foliar or soil application on a wide range of horticultural and broad acre crops.

### GROW BENEFITS

- Significantly improves overall crop fertility levels and increases general crop vigour
- Effectively provides a one shot multi nutrient boost to promote balanced growth
- Can be used at any crop stage due to its unique and balanced NPK ratio
- Molybdenum improves the nitrogen utilisation response
- Zinc for leaf and fruit size expansion and improved flower fertility
- Iron and manganese for chlorophyll production and increased photosynthesis
- Chloride, sulphate, nitrate free formulation



N Deficiency Tomato



P Deficiency in Citrus




K Deficiency in Grape Vine

### PRODUCT CHARACTERISTICS

Colour	pH	SG
Blue	10.4	1.27

### PACK SIZES

Available in 20, 200 and 1000 L packs.





# NUTRAFEED GROW - Liquid Fertiliser

a division of Amgrow

## APPLICATION

**Grow** can be used as a foliar or soil applied supplement in a regular nutrition program for applicable crops. As a foliar spray add a wetting adjuvant and stick to the dilutions in the table below with a maximum rate of 7L product/ha. Multiple applications may be needed throughout the season. The application rate may need to be varied with changes in plant size, canopy or crop load.

## DIRECTIONS FOR USE

Crop	Foliar (L/100L water)	Fertigation (L/ha)	Comments
Berry fruits	0.5-1	8-10	Apply when a general boost is required or regularly at 14 day intervals
Broadacre (cotton, beans, chickpea)	0.5-1	-	Apply 1-2 times from post-flowering till harvest
Citrus	-	8-10	Apply when a general boost is required or regularly at 14 day intervals. Fertigation only
Cucurbits	0.5-1	8-10	Apply when a general boost is required or regularly at 14 day intervals
Pomefruit / Stonefruit	-	10-15	Apply when a general boost is required or regularly at 14 day intervals. Fertigation only
Potato	0.5-1	8-10	Apply when a general boost is required or regularly at 14 day intervals
Tomato	0.5-1	8-10	Apply when a general boost is required or regularly at 14 day intervals
Tree Nut Orchards	0.25	10-15	Apply when a general boost is required or regularly at 14 day intervals
Tropical Fruit (avocado, mango, banana, pines etc)	0.25	10-15	Apply when a general boost is required or regularly at 14 day intervals
Vegetables/Brassica	0.5-1	8-10	Apply when a general boost is required or regularly at 14 day intervals
Vines / Grapes	0.5-1	8-10	Apply when a general boost is required or regularly at 14 day intervals

## NOTE:

The suggested rates of application are designed for typical use conditions and should be used as a guide only. Do not foliar apply during the heat of the day (> 25 DegC) when evaporation rates are at their highest. It is recommended that when foliar applying to a crop or area for the first time, or in combination with other chemicals, a small test area should be sprayed and observed for phytotoxicity prior to the total spray. Foliar spraying is recommended during early morning or late afternoon. Use the minimum foliar application rate on young or sensitive crops. Applying additional products in the same tank mix increases the phytotoxic risk to crops. Because climatic and soil conditions, application methods, irrigation and agricultural practices are beyond the control of Barmac and cannot be foreseen, Barmac accepts no responsibility whatsoever for any commercial damage, loss or other result following the use of this product whether used in accordance with directions or not, subject to any overriding statutory provision and provided that such liability under those provisions shall be limited to the replacement of the goods as supplied or the rendering again of the services that are provided. The buyer accepts and uses this product subject to these conditions.