



a division of Amgrow

NUTRAFEED MULTI TRACE - Liquid Fertiliser

NUTRAFEED LIQUID MULTI TRACE NPKS 3.3-0-0-5.4

Additional Macro and Micro Nutrients (%w/v)

Ca %	Mg %	B %	Zn %	Fe %	Mn %	Cu %	Mo %
-	2	0.63	1.38	1.7	1.11	0.65	0.03




Also
Organic acid (citric) 17%

NUTRAFEED LIQUID MULTI TRACE

Multi Trace is a new liquid multi trace element fertiliser suitable for foliar or soil application on a wide range of horticultural and broad acre crops.

MULTI TRACE BENEFITS

- Effectively provides a one shot approach to deliver all essential trace elements
- Nutrients complexed in an organic acid to improve plant uptake
- Effectively supplements key trace elements involved in root development, reproduction, photosynthesis and leaf expansion, leading to healthier crops, superior quality produce with higher yields
- Molybdenum improves the nitrogen utilisation response
- Zinc for leaf and fruit size expansion and improved flower fertility
- Iron and manganese for chlorophyll production and increased photosynthesis



Boron deficient roots



Cu deficiency ornamental



Zinc deficiency in corn



Manganese deficiency in citrus



Iron deficiency in blueberry

PACK SIZES

Available in 20, 200 and 1000 L packs.

PRODUCT CHARACTERISTICS

Colour	pH	SG
Green	1.6	1.31





a division of Amgrow

NUTRAFEED MULTI TRACE - *Liquid Fertiliser*

APPLICATION

Multi Trace can be used as a foliar or soil applied supplement in a regular nutrition program for applicable crops. As a foliar spray add a wetting adjuvant and stick to the dilutions in the table below with a maximum rate of 5L product/ha. Multiple applications may be needed throughout the season. The application rate may need to be varied with changes in plant size, canopy or crop load.

DIRECTIONS FOR USE

Crop	Foliar (L/100L water)	Fertigation (L/ha)	Comments
Berry fruits	0.25-0.5	3-4	Apply at any stage to maintain levels
Broadacre (cotton beans, chickpea)	1	-	Apply during vegetative growth stage to maintain levels
Citrus	0.25	4-5	Apply at any stage to maintain levels. Do not apply to trees with copper residues
Cucurbits	0.25-0.5	3-4	Apply at any stage to maintain levels
Pomefruit / Stonefruit	0.25	4-5	Apply at any stage to maintain levels. Do not apply to trees with copper residues. Fertigation only for stonefruit
Potato	0.25-0.5	3-4	Apply at any stage to maintain levels
Sugarcane	0.5-1	-	Apply as a foliar before out of hand stage or as a billet spray/dip at planting
Tomato	0.25-0.5	3-4	Apply at any stage to maintain levels
Tree Nut Orchards	0.25	4-5	Apply at any stage to maintain levels
Tropical Fruit (avocado, mango, banana, pines etc)	0.25	4-5	Apply at any stage to maintain levels. Do not apply to trees with copper residues
Vegetables / Brassica	0.25-0.5	3-4	Apply during vegetative growth stage to maintain levels
Turf	1	20	Apply at any stage to maintain levels
Vines/Grapes	0.25-0.5	3-4	Apply during vegetative growth stage to maintain levels

NOTE:

The suggested rates of application are designed for typical use conditions and should be used as a guide only. Do not foliar apply during the heat of the day (> 25 DegC) when evaporation rates are at their highest. It is recommended that when foliar applying to a crop or area for the first time, or in combination with other chemicals, a small test area should be sprayed and observed for phytotoxicity prior to the total spray. Foliar spraying is recommended during early morning or late afternoon. Use the minimum foliar application rate on young or sensitive crops. Applying additional products in the same tank mix increases the phytotoxic risk to crops. Because climatic and soil conditions, application methods, irrigation and agricultural practices are beyond the control of Barmac and cannot be foreseen, Barmac accepts no responsibility whatsoever for any commercial damage, loss or other result following the use of this product whether used in accordance with directions or not, subject to any overriding statutory provision and provided that such liability under those provisions shall be limited to the replacement of the goods as supplied or the rendering again of the services that are provided. The buyer accepts and uses this product subject to these conditions.