

POISON

KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

- **With
Bromadiolone**

- **Contains
Bittering
Agent**



ACTIVE CONSTITUENT: 0.05 g/kg BROMADIOLONE
Contains Denatonium Benzoate (Bittering Agent)

For the control of rats and mice, including those resistant to other anticoagulants, in and around domestic, commercial, public services and industrial buildings.

KILLS RATS & MICE

Manufactured by:



www.belllabs.com
Madison, WI 53704 U.S.A.
MADE IN USA

PRIMARY PACK

CONTAINS 285 X 28 G RODENT BLOCKS
WHICH ARE ILLEGAL TO SELL SEPARATELY.

DO NOT DESTROY OUTER CONTAINER WHILE PRODUCT STILL REMAINS.

Net 8 kg



Australian Agent:

Barmac
A Division of Amgrow Australia Pty Ltd
(ABN 22 069 900 456)
82 Christensen Road, Stapylton, QLD 4207
EMERGENCY CONTACT NO. 1800 AMGROW
(1800 264 789)
www.barmac.com.au
APVMA APPROVAL NO: 49776/8KG/0207

DIRECTIONS FOR USE

DO NOT exceed 3m between bait stations for mice, or 9m for rats. DO NOT place bait stations in the open.

SITUATION	PEST	RATE	CRITICAL COMMENTS
In and around domestic homes, industrial and commercial buildings, animal houses, farms, wharves, public service buildings, food factories, hospitals, inside transport vehicles (including ships) and around grain terminals.	Rats (<i>Rattus norvegicus</i> , <i>Rattus rattus</i>)	2 to 8 x 28g blocks per bait station	Eliminate as far as practicable, all alternative food sources. Bait infested area. Inspect bait stations daily. Replace eaten baits. If eaten quickly increase number of bait stations. Continue observation and replenishment until no more baits are taken. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.
	Mice (<i>Mus musculus</i>)	1 or 2 x 28g blocks per infested area	

NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION.

GENERAL INSTRUCTIONS

Determine areas where rats and/or mice will most likely find and consume bait. Generally, these areas are along walls, by gnawed openings in or beside burrows, in corners and concealed places, between floors and walls or in locations where rodents or their signs have been observed. Protect bait from rain or moisture. Replace contaminated or spoiled bait immediately. To prevent reinfestation, eliminate food, water and harbourage as much as possible. If reinfestation should occur, repeat treatment. Where a continuous source of reinfestation is present, establish permanent bait stations and replenish bait as needed. Collect and dispose of all dead rodents and unconsumed bait properly. Baiting for at least two weeks is necessary to reduce rat/mouse numbers.

STORAGE AND DISPOSAL

Store in the closed, original container in a well ventilated area, as cool as possible. DO NOT store for prolonged periods in direct sunlight. Store in locked room or place away from children, animals, food and feedstuffs, seed and fertilizers. Do not dispose of chemicals on site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available, bury the containers below 500mm in a disposal pit specially marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt. Dispose of carcasses safely by burying and burning in an approved landfill.

•587AU-6

POISON**KILLS RATS & MICE****PRECAUTION**

The use of this product for the control of protected native rodents requires permission from wildlife authorities. DO NOT allow bait to contaminate foodstuffs or food intended for human or animal consumption.

DO NOT apply bait to crops.

DO NOT place in positions where there is a possibility of contaminating food or surfaces that come into direct contact with food.

The product is restricted to use in and around buildings (within 2 metres), or enclosed spaces.

PROTECTION OF WILDLIFE, FISH, CRUSTACEA AND ENVIRONMENT

DO NOT contaminate dams, rivers or streams with the chemical or used container. Place baits in locations which are inaccessible to other animals and birds. This product is hazardous to pigs, cats, dogs, native wildlife and poultry.

Net 8 kg

MADE IN USA

TOMCAT is a trademark of Bell Laboratories, Inc., USA

SAFETY DIRECTIONS

Poisonous if absorbed by skin contact or swallowed. Repeated minor exposure may have a cumulative poisoning effect. Avoid contact with skin. When preparing product for use wear elbow-length PVC gloves. If on skin and after each baiting, wash thoroughly with soap and water. After each day's use, wash gloves. Vitamin K₁ (Phytomenadione) is antidotal.

FIRST AID

If poisoning occurs, contact a doctor or the Poisons Information Centre (phone Australia 131126).

SDS

For further information please refer to the Safety Data Sheet which can be obtained from the supplier.

CONDITIONS OF SALE

The use of TOMCAT Blox is beyond the control of the manufacturer. Therefore, no warranty, expressed or implied is given by Bell Laboratories, Inc. regarding its suitability or efficacy for any purpose. Bell Laboratories, Inc. cannot accept any responsibility for any consequence whatsoever resulting from the use of this product, save for those nonexcludable conditions implied by the Competition and Consumer Act 2010.



APVMA APPROVAL NO: 49776/8KG/0207

GHS Hazard and Precautionary Statements

May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life with long lasting effects.

Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Avoid release to the environment. Use personal protective equipment as required. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Collect spillage. Not combustible. Use extinguishing media suited to burning materials. Dispose of small quantities and empty containers by wrapping with paper and putting in garbage. For larger quantities, if recycling or reclaiming is not possible, use a commercial waste disposal service.

031519

Batch No.:

D.O.M.:

Product Code: 913605