



Technical Information Sheet

Javelin *Selective Herbicide*

Active ingredients: 20 g/L clopyralid, 15 g/L diflufenican and 300 g/L MCPA

Pack size: 10L

Javelin combines the synergies of three active ingredients in combination to give the most effective control on a wide range of broadleaf weeds.

Javelin has some residual weed control and can be used early in the season with a pre-germination effect.

Features:

- No odour.
- Outstanding broad-spectrum weed control.
- Excellent turf safety (cool and warm season grasses).
- S5 Scheduling – safer when handling, mixing and applying.
- Low application rates of active ingredient – safer to the public and the environment.
- Non-ester formulation – reduces potential for off-target damage.
- Contains three active constituents for a wider spectrum of broadleaf weed control.
- Additional surfactants not required.

Important information:

- Turf clippings should not be used as mulch around other plants or in compost.
- A slight discolouration may occur on kikuyu and carpet grass.
- Due to residual effects of diflufenican overseeding treated areas within three months of application may inhibit establishment of the turf grass.

Rate of application:

- Apply at between 4 and 5 L/ha to actively growing weeds.
- Use the lower rate for smaller weeds.
- Complete weed death may take up to six weeks. Faster results can be expected on smaller weeds.



Mixing the product:

- Shake the original container before use.
- Agitate continuously to ensure thorough mixing before and during application.
- Mix only sufficient chemical for each days work.
- A surfactant can be added for hard to wet weeds. It should be added after Javelin and water are mixed when the spray tank is almost full.

Critical comments:

- Apply to actively growing weeds.
- Transient discolouration may occur on kikuyu and carpet grass and Queensland blue couch.
- Varietal differences in certain buffalo grasses (eg. ST85) may produce more pronounced effects and it is recommended that small areas be tested for turf safety before largescale application occurs.
- Avoid exceeding application rates through overlapping sprayed areas.
- Use a surfactant for difficult to wet weeds.

This publication is a guide only and no substitute for professional or expert advice. The product label should be consulted before use of any of the products referred to in this publication. Nuturf, a division of Australian Agribusiness (Holdings) Pty Ltd shall not be liable for any results, loss, or damage whatsoever, whether consequential or otherwise through the use or application of products and/or materials referred to herein. Before using, always read the product label. More information: Contact your local Nuturf rep or go to www.nuturf.com.au



NUTURF
SPECIALISTS PROVIDING SOLUTIONS

Nuturf, a division of Australian Agribusiness (Holdings) Pty Ltd
ABN 61 135 355 958 Suite 201, 3 Rider Boulevard, Rhodes NSW 2138