



Product Name: Bird Free Optical Gel Deterrent
APVMA Approval No: 94926/148074

Label Name:	Bird Free Optical Gel Deterrent
-------------	---------------------------------

Signal Headings:	
------------------	--

Constituent Statements:	ACTIVE CONSTITUENTS: 720 g/kg POLYBUTENE 5.3 g/kg PEPPERMINT OIL
-------------------------	---

Mode of Action:	
-----------------	--

Statement of Claims:	For the deterrence of feral pigeons, starlings and common mynahs in commercial, industrial, rural and residential situations.
----------------------	---

Net Contents:	12.5 g
---------------	--------

Restrains:	
------------	--

Directions for Use:	<p>Bird Free Optical Gel Deterrent may be used to deter feral pigeons, starlings and mynahs from roosting on buildings and other structures. Bird Free Optical Gel Deterrent is supplied in ready-to-use plastic dish containers. Remove covers from dishes and affix dishes to the dry surfaces of ledges, sills, beams and other surfaces where birds roost with silicone or other removable adhesive. For feral pigeons, starlings and mynahs, dishes should be spaced as follows: Nesting sites 15 cm; Night roosts 20 cm; Day roosts 25 cm. (See CLEANING SURFACES PRIOR TO TREATMENT and APPLICATION DIRECTIONS below.)</p> <p>NOT TO BE USED FOR ANY PURPOSE, OR IN ANY MANNER, CONTRARY TO THIS LABEL UNLESS AUTHORISED UNDER APPROPRIATE LEGISLATION</p>
---------------------	---

Other Limitations:	
--------------------	--

Withholding Periods:	
----------------------	--

Trade Advice:	
---------------	--

General Instructions:	<p>CLEAN-UP When replacing Bird Free Optical Gel Deterrent, remove plastic dishes and clean surfaces with a disposable cloth soaked in soap and water and remove adhesive, if needed. Remove used dishes and treat them as under STORAGE and DISPOSAL below.</p> <p>CLEANING STRUCTURE SURFACES PRIOR TO TREATMENT PRECAUTIONARY STATEMENTS Wear protective eyewear and face mask or respirator to avoid inhaling bird faeces, nesting materials, feathers, and dead birds, while cleaning structure surfaces before placing Bird Free Optical Gel Deterrent containers. Wash skin and clothing after cleaning bird debris and before eating or drinking. Do not touch or rub eyes while or after handling Bird Free Optical Gel Deterrent. For Bird Free Optical Gel Deterrent to be most effective, bird nesting materials, faeces, feathers, and dead birds must be removed prior to application of the Bird Free Optical Gel Deterrent containers. To reduce potential exposure to diseases from bird debris, persons that clean or remove bird debris, should wear waterproof gloves and appropriate personal protective equipment (PPE) for dust and aerosol mist protection while cleaning areas to be treated. Thoroughly clean surfaces, including confined spaces such as building attics and other protected areas, where birds roost or nest. Take precautions to ensure nearby people are not exposed to debris from cleaning. The following PPE should be used during the cleaning process when cleaning may result in exposure, especially respiratory exposure:</p> <ul style="list-style-type: none"> •Long-sleeved shirt and long pants. Wash thoroughly after use or wear disposable outer clothing, such as Tyvek® disposable coveralls or suits. •Waterproof gloves or disposable waterproof gloves. •Rubber boots or other waterproof disposable foot protection <p>To avoid respiratory exposure, especially in confined areas, cleaners should wear a dust/ mist filtering respirator meeting AS/NZ 1716 P2 standard. Follow the manufacturer's instructions for cleaning/maintaining PPE. If no such instructions are available for washables, use detergent and hot water. Keep and wash PPE separately from other laundry. Use a biocide or water mixed with detergent to wet surfaces where faeces are present to limit generation of airborne dust and aerosol mists during cleaning. Allow cleaned surfaces to dry prior to treatment. When cleaning large amounts of bird debris, workers should be informed of the possible health risks involved. Persons with compromised immune systems should avoid the cleaning operation. If pressure-washers are used to strip off dried faeces, dust and aerosol control measures, such as containing the area with plastic sheeting, should be taken. Wetting down the work area will prevent inhalation, reduce the risk of disease from bird faeces and debris, and will also help prevent the spread of dust and aerosols. An alternative to use of a pressure washer is to soak the faeces and debris with water and then use a shovel to remove them. The wet material should be collected in heavy-duty plastic trash bags or some other.</p>
-----------------------	---

Resistance Warning:	
---------------------	--

Precautions:	DO NOT use in areas accessible to children. DO NOT apply to areas used for the preparation, storage or handling of food.
--------------	--

Protections:	Do NOT contaminate streams, rivers, or watercourses with the chemical or used containers.
--------------	---

Storage and Disposal:	KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container in a dry, cool, well-ventilated area out of direct sunlight. Dispose of empty packaging and used
-----------------------	---

	repellent containers by wrapping in paper, placing in plastic bag and putting in garbage. Do NOT burn empty containers or product.
--	--

Safety Directions:	
--------------------	--

First Aid Instructions:	First Aid is not generally required, if in doubt contact a Doctor or Poisons Information Centre. Phone: Australia 13 11 26; New Zealand 0800 764 766.
-------------------------	---

First Aid Warnings:	
---------------------	--